

52cm integrated rangehood in dark stainless steel with inverter motor, Hob2Hood, and maximum airflow of 790 m³/hr.

Product Details

FEATURES

Inverter motor	790m3/hr powerful extraction	Hob2Hood technology	3 fan speeds plus PowerBoost
Delay off	Clean Filter indicator	LED lighting	Dishwasher safe filters

BENEFITS

3 YEAR WARRANTY
Because peace of mind should last as long as great design, this product has three years of trusted Electrolux support.
*Available for purchases after 1 March 2026.

THE QUIET ACHIEVER
Electrolux hoods with inverter technology remove cooking odours from your kitchen air at noise levels as low as 42 dBA*, so you can focus on cooking delicious dishes in a cleaner and quieter environment. Inverter motors are also more durable and energy efficient than traditional motors.*Based on internal test TR000071828/A

LET'S CLEAR THE AIR
Whether you're frying, searing or steaming, efficiently remove cooking vapours and odours from your kitchen in minutes. The powerful motor with high extraction airflow rate of 790m/hr* clears the air quickly and quietly.*Based on internal test TR000071828/A

The hands-free hood
When paired with a compatible Electrolux cooking hob, Hob2Hood automatically switches it on as you start cooking and adjusts the fan speed based on how you are using your hob. This means you can boil, sear or stir-fry without having to touch your hood with greasy fingers.

EXTREME EXTRACTION WHEN YOU NEED IT
When your kitchen fills with smoke or strong aromas, PowerBoost kicks into high gear for maximum extraction power instantly, clearing the air fast so you can keep cooking without the haze or lingering smells.

FRESH AIR EVEN AFTER YOU'RE DONE
Our delayed shut off keeps your hood running for a few extra minutes after cooking, clearing away lingering steam and odours. So your kitchen stays fresh and clean, without you lifting a finger.

LIGHT UP YOUR COOKING

Bright LED lighting allows you to clearly see what's cooking, helping you to adapt quickly to what's happening to the tastes and textures on your cooktop. It's also more energy efficient and environmentally friendly than traditional lighting.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	3
Type of Rangehood	integrated
Nominal width (cm)	52
Finish of Rangehood	Dark stainless steel

DIMENSIONS

Total product height (mm)	329
Total product width (mm)	526
Total product depth (mm)	292

MOTOR/FAN

Number of fans	1
Number of fans speeds	4
Auto off	Yes
Type of motor	DC Inverter motor
Perimeter extraction	No
Maximum airflow M3/Hr	790
Noise level dB high	54
Noise level dB low	42
Wattage of motor	200

POWER

Electricity supply required (Kw)	0.207
----------------------------------	-------

DIMENSIONS

Diameter of ducting (mm)	150
Minimum installation height from cooking surface Gas (mm)	620
Minimum installation height from cooking surface Electric (mm)	600
Product Weight (Kg)	9
Cut out width (mm)	493
Cut out depth (mm)	262

CONTROLS

Control panel	electronic push button
Safety/ display indicators	clean filter indicator,automatic safety cut off
LED speed display	Yes
Hob2Hood function	Yes

LIGHTS

Number of lights	2
------------------	---

FILTERS

Number of filters	1
Type of filter	multilayer aluminum micromesh filters
Dishwasher safe	Yes

DUCTING / RECIRCULATION

Ducting	optional accessory
---------	--------------------

LIGHTS

Wattage of light	3.5
Type of light	LED

DUCTING / RECIRCULATION

Top or rear duct hole	top
Recirculation option	Yes
Recirculation kit	optional accessory
Front recirculating option	No
Type of filter	Carbon
Filter	Optional
Number of optional filters required	two
Ducting diameter (mm)	150

SHIPPING

Shipping Volume (m3)	0.111
Shipping Weight (Kg)	11.3
Product Weight (Kg)	8.3
Pack Dimensions Height (mm)	471
Pack Dimension Width (mm)	621

STUFFING QUANTITIES

20ft	224
40ft	456
40ft HC	570

SHIPPING

Pack Dimension Depth (mm)	378
------------------------------	-----

Dimensions



Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz