

50cm black integrated rangehood with 340m³/hr extraction rate, LED lighting, 2 fan speed and dishwasher safe mesh filters.

RRP AUS \$449.00

Product Details

FEATURES

340 m3/hr extraction rate	Long lasting LED lighting	2 fan speed options	Dishwasher Safe mesh filters
Slide controls	Black finish		

BENEFITS

Banish kitchen smoke and odours Keep your kitchen free from smoke and cooking odours with Chefs high extraction rate.	Low energy and long lasting LED lighting A rangehood that lights up so you can cook with ease. Cook and see your meal clearly with our bright LED lighting that is both low energy and long lasting.
Dishwasher safe filters. Easy The easy to remove rangehood filters can be washed safely in the dishwasher for a mess-free clean up.	Control with ease The user friendly and fuss free controls offer a simpler cooking experience.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Type of Rangehood	integrated under cupboard
Nominal width	510
Finish of Rangehood	black

DIMENSIONS

Total product height (mm)	200
Total product width (mm)	512
Total product depth (mm)	304

MOTOR/FAN

Number of fans	1
Number of fans speeds	2
Type of motor	tangential
Perimeter extraction	No
Maximum airflow M3/Hr	340
Noise level dB high	67
Noise level dB low	47
Number of motors	1
Wattage of motor	100

CONTROLS

Control panel	slide switch control
Safety/ display indicators	auto thermal cutout safety switch
Hob2Hood function	No

DIMENSIONS

Diameter of ducting (mm)	120
Minimum installation height from cooking surface Gas (mm)	650
Minimum installation height from cooking surface Electric (mm)	600
Cut out width (mm)	455
Cut out depth (mm)	276
Cut out height (mm)	200

FILTERS

Number of filters	1
Type of filter	multilayer aluminum micromesh filters
Dishwasher safe	Yes

DUCTING / RECIRCULATION

Ducting	optional accessory
Top or rear duct hole	top

LIGHTS

Number of lights	2
Wattage of light	5.5
Type of light	LED

SHIPPING

Shipping Volume (m3)	0.050
Product Weight (Kg)	6.7

DUCTING / RECIRCULATION

Recirculation option	Yes
Recirculation kit	optional accessory
Front recirculating option	No
Type of filter	Carbon
Filter	Optional
Number of optional filters required	two
Ducting diameter (mm)	120

STUFFING QUANTITIES

20ft	600
40ft	1260
40ft HC	1470

SHIPPING

Pack Dimensions Height (mm)	375
Pack Dimension Width (mm)	570
Pack Dimension Depth (mm)	235

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz