

A white trimmed slideout rangehood with 2 fans, 2 filters, auto activated push-pull controls and 60cm in width. This model is configured for front recirculation with 2 carbon filters included.

RRP AUS \$419.00



Product Details

FEATURES

Two halogen lights

Recirculation

White finish

3 fan speed options

2 x fans

2 x filters

Auto activated push-pull controls

BENEFITS

Recirculation

The rangehood can recirculate into the kitchen if it is not possible to duct to the exterior. Carbon filters are recommended for recirculation.

Keeping the air clean

Carbon filters given the extra odour filtration required when ducted installation is not an option for your kitchen

Easy to maintain

Filters are easy to remove and can be washed in the dishwasher

Blend into the kitchen

Slide out rangehoods are designed to blend into your kitchen cabinetry for a seamless look.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Type of Rangehood	slide out
Nominal width	600
Finish of Rangehood	white

DIMENSIONS

Total product height (mm)	175
Total product width (mm)	600
Total product depth (mm)	300
Diameter of ducting (mm)	121
Minimum installation height from cooking surface Gas (mm)	650

MOTOR/FAN

Number of fans	2
Number of fans speeds	3
Type of motor	centrifugal
Maximum airflow M3/Hr	400
Noise level dB high	66
Noise level dB low	59

CONTROLS

Control panel	auto activated pull/push)
---------------	---------------------------

DIMENSIONS

Minimum installation height from cooking surface Electric (mm)	600
--	-----

FILTERS

Number of filters	2
Type of filter	aluminum micromesh
Dishwasher safe	Yes

LIGHTS

Number of lights	2
Wattage of light	28
Type of light	halogen

DUCTING / RECIRCULATION

Ducting	optional accessory
Top or rear duct hole	top
Recirculation option	Yes
Recirculation kit	Yes
Front recirculating option	Yes
Optional extension flue	No

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz