

**Multifunction 10 Pyrolux pyrolytic oven with knob controls and FullFlex telescopic runners and soft close door.**

RRP AUS \$2,249.00

## Product Details

### FEATURES

---

Huge 80L gross capacity oven

FullFlex Telescopic Runners

Pyrolytic self-cleaning oven

Soft close door

Cooler touch door

Simple to use Rotary knob controls

---

### BENEFITS

---

Huge 80L gross capacity oven

Designed for the entertainer and large families, this large capacity 80-litre oven will make catering for every occasion quick and easy. Plus, energy use is also kept to a minimum, despite its size.

FullFlex Telescopic Runners

Our FullFlex telescopic runners give you safe, easy access all areas of your oven. This makes it easier to turn and stir your food for great results every time.

Pyrolytic self-cleaning oven

Introducing an oven that cleans itself. Pyrolytic cleaning removes the need for you to use harsh chemicals to clean your oven. Simply set the Pyrolytic function, come back when it is complete and wipe away the residue.

Cooler touch door

For added safety and confidence in the kitchen, the cooler touch door features an innovative door cooling system with quadruple glazed door panels. The design minimises heat being transferred outside the oven, while ensuring a cooler touch oven door.

Easy to navigate rotary knobs

Simple to navigate rotary knobs make it easy to control the heat allowing you to concentrate on preparing the perfect meal

---

## Specifications

### PRODUCT PROFILE

|                                 |                                      |
|---------------------------------|--------------------------------------|
| Domestic warranty details (yrs) | 2                                    |
| Type of Oven                    | Single pyrolitic oven                |
| Oven fuel                       | electric                             |
| Materials/Colour                | mark resistant stainless steel,black |
| Controls of Oven                | control knob                         |
| Cooling fan                     | Yes                                  |

### FLUSH FIT CUT OUT

|                               |     |
|-------------------------------|-----|
| Flush fit cut out height (mm) | 600 |
| Flush fit cut out width (mm)  | 600 |
| Flush fit cut out depth (mm)  | 581 |

### DIMENSIONS

#### PRODUCT DIMENSION

|                   |     |
|-------------------|-----|
| Total height (mm) | 597 |
| Total width (mm)  | 596 |
| Total depth (mm)  | 573 |

### MAIN OVEN

|                         |               |
|-------------------------|---------------|
| Gross capacity litres   | 80            |
| Useable capacity litres | 72            |
| Oven function           | multifunction |
| Number of functions     | 10            |

## MAIN OVEN

|                |                                                                                                                                                 |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| Oven Functions | fan cooking,traditional<br>bake,pizza,pastry,rapid<br>heat,grill,fan grill,defrost,maxi<br>grill,base heat,Half grill,pyro clean<br>,full grill |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------|

|            |                                 |
|------------|---------------------------------|
| Oven liner | pyrolux high temperature enamel |
|------------|---------------------------------|

|                 |                                                                            |
|-----------------|----------------------------------------------------------------------------|
| Timer functions | acoustic<br>signal,duration,end,minute<br>minder,oven start,stop,Countdown |
|-----------------|----------------------------------------------------------------------------|

|               |    |
|---------------|----|
| Light wattage | 25 |
|---------------|----|

## ELECTRICAL CONNECTION

|                   |     |
|-------------------|-----|
| Connected load KW | 3.1 |
|-------------------|-----|

|                                  |      |
|----------------------------------|------|
| Maximum current rating<br>(amps) | 12.9 |
|----------------------------------|------|

|                    |           |
|--------------------|-----------|
| Type of connection | hardwired |
|--------------------|-----------|

|                               |    |
|-------------------------------|----|
| Minimum Fuse rating<br>(amps) | 16 |
|-------------------------------|----|

## OTHER FEATURES

|          |           |
|----------|-----------|
| Cleaning | pyrolytic |
|----------|-----------|

|                     |   |
|---------------------|---|
| Pyrolitic functions | 2 |
|---------------------|---|

## GAS SPECIFICATIONS

|                         |     |
|-------------------------|-----|
| Maximum power rating kW | 3.1 |
|-------------------------|-----|

## OTHER FEATURES

|                             |                                                                                                                |
|-----------------------------|----------------------------------------------------------------------------------------------------------------|
| Type of Pyrolitic functions | pyrolitic light clean,pyrolitic heavy clean                                                                    |
| Door                        | removable door,cool door,removable inner glass panes                                                           |
| Timer                       | 5 button push control programmable timer                                                                       |
| Lights                      | 1                                                                                                              |
| Light wattage               | 25                                                                                                             |
| Light position              | rear                                                                                                           |
| Telescopic runners          | two                                                                                                            |
| Shelf support               | side rack                                                                                                      |
| Number of shelves           | 2                                                                                                              |
| Safety features             | cool door                                                                                                      |
| Closed door grilling        | Yes                                                                                                            |
| Fold down grill element     | Yes                                                                                                            |
| Included accessories        | 2 x chromed wire shelf,baking tray,side racks,anti splatter grill insert,grill/oven pan,2 x telescopic runners |
| Layers of glass in door     | 4                                                                                                              |


## OTHER FEATURES

---

Number of shelf positions    6

---

## Dimensions



# Terms and Conditions

## IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

## PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

## WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

### ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: [customercare@electrolux.com.au](mailto:customercare@electrolux.com.au)

web: [www.electrolux.com.au](http://www.electrolux.com.au)

### ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: [customercare@electrolux.co.nz](mailto:customercare@electrolux.co.nz)

web: [www.electrolux.co.nz](http://www.electrolux.co.nz)