

75cm 5 burner stainless steel gas cooktop with a high powered, intense 19 MJ/h wok burner, dual valve flame control and cast iron trivets.

Product Details

FEATURES

High powered, intense 19 MJ/h wok burner	Dual Valve Control	Cast iron trivets	Flat Trivets
Simple and durable control panel graphics	Easy under knob ignition	Flame Failure Device	LP Gas Conversion kit included LP Gas Conversion kit included. Must be installed by a licenced tradesperson.

BENEFITS

A hotter wok helps bring out the flavour
Use high heat to lock in the flavour of your dishes. With durable brass caps and 19 MJ/h you can bring your wok to high heat with even flame distribution. Spice up your cooking and spice up your life.

Precision control from simmer to sear
Dual valve control lets you fine tune the flame with greater accuracy, from gentle simmering to powerful high heat. It gives you the control you need to cook with confidence, whatever's on the menu.

Easy to Clean
Spend more time cooking and less time cleaning. Our flat surface gives foods and spills nowhere to hide, making cleaning a breeze.

Family safety first
Our cast iron trivets flat design ensure the base of your pots and pans are fully supported, allowing you to have a safer and more stable cooking environment.

Flame out. Gas off.
In the kitchen, it should always be safety first. If the cooktop flame unexpectedly goes out, our Flame Failure Device will automatically shut down the gas supply so you and your family can breathe easy.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Cooktop type	gas
Materials/Colour	stainless steel
Knob Finish	metalised

CONTROLS

Controls of Cooktops	knob
Position of controls	front
Features of Cooktop	flame failure,wok holder,High powered, intense wok burner,Cast iron trivets,Dual Valve Flame Control

ELEMENTS/BURNERS

LEFT FRONT ZONE

DIMENSIONS

Total product height (mm)	55
Total product width (mm)	745
Total product depth (mm)	530
Cut out width (mm)	710
Cut out depth (mm)	490

FEATURES

Trivets	cast iron
Ignition type	electronic under knob ignition

CENTRE FRONT ZONE

Centre front zone	simmer
-------------------	--------

Left front zone	dual valve wok
Left front Mj/h	19.0

CENTRE REAR ZONE

Centre rear zone	semi-rapid
Centre rear Mj/h	9.0

RIGHT REAR ZONE

Right rear zone	rapid
Right rear Mj/h	12.1

GAS SPECIFICATIONS

Total burner output(NG)	54.2
Position of gas connection	rear left

Centre front Mj/h	5.1
-------------------	-----

RIGHT FRONT ZONE

Right front zone	semi-rapid
Right front Mj/h	9.0

ELECTRICAL SPECIFICATIONS

Connected load KW	0.05
Type of connection	10A plug & lead


SHIPPING

Shipping Weight (Kg)	17.5
Pack Dimensions Height (mm)	160
Pack Dimension Width (mm)	838
Pack Dimension Depth (mm)	595

STUFFING QUANTITIES

20ft	308
40ft HC	690

Dimensions



Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz